







SAY GOODBYE TO GERMS. SAY HELLO TO TOPSHIELD.

Introducing "TopShield",India's first food-grade certified range of kitchen countertops from H & R Johnson - TopShield. These world - class, ready-to-install quartz countertops made with Johnson's patented anti-microbial compound, revolutionizes India's kitchen spaces forever by making them completely germ-free.

TopShield is the perfect substitute for traditional counter tops since it brings you the beauty of natural stone while eliminating all the maintenance hassles associated with it. An ultra-hygienic range of beautiful options unlike any other you have ever seen.

A wide range of designs and colours ensures that along with being the most hygienic option for your kitchen, Top Shield also provides the most beautiful options. Just the thing you need to complement your delightful cooking.



TOP SHIELD - THE SCIENCE BEHIND THE BRILLIANCE.

Along with the visible layer of aesthetic beauty that you see with TopShield is an invisible layer of Johnson's patented technology that keeps your kitchen perfectly germ-free.

KEY FEATURES



India's first & only germ-free quartz surface. Ideal for modular kitchens



Certified 99% better protection against germs compared to regular surfaces



Preferred surface for Kitchen Countertops



Manufactured using H&R Johnson (India)'s patented anti-microbial formulation



Conforming to Japanese International Standard JIS Z 2801 2010



Retains germ-free property even after re-polishing



Certified Non-Toxic / Food-Safe conforming to IS:9833-1981



ADVANTAGES OF TOPSHIELD OVER OTHER SURFACES


	A 100 CO	11. 1. 1. 1. 1. 1. 1. 1.		<u> </u>
JOHNSON TOPSHIELD	GRANITE COUNTERTOP	SOLID SURFACE COUNTERTOP	LAMINATE COUNTERTOP	CHARACTERISTICS
•	×	×	×	Special food-grade anti-microbial formula
•	•	*	×	Scratch resistant
•	×	•	•	Stain resistant
⊘ *	•	×	×	Heat and burn resistant
•	×	•	×	Low maintenance
•	×	•	•	Non-porous
⊘	•	×	•	Chip and crack resistant
•	×	•	•	Mold and mildew resistant
⊘	×	•	•	Colour consistency
•	×	×	×	Resistant to household chemicals, acids and solvents

*Can be affected by high temperature over 400°F



EDGE PROFILES THAT ADD TO THE BEAUTY OF THE COUNTERTOP

TopShield readymade kitchen countertops can be made available in customised edge profiles for bulk requirements.





Half inch Bevel T





CARRARA RANGE




CARRARA BLANCO



CARRARA CASHMERE



CARRARA DARK NIGHT



CARRARA WHITE

Note: Slab dimension 3230mm x 1630mm for Carrara Blanco/ Carrara Cashmere/Carrara White and 3200mm x 1600mm for Carrara Dark Night.



CALACATTA RANGE



CALACATTA CLASSIC



NERO MARQUINA







CERTIFICATE



TEST REPORT

LAB NO.: 4569/1-3 NAME OF CUSTOMER DATE: 12/10/2013

: M/S. H & R JOHNSON (INDIA)

ADDRESS

: Village Khar Devli, Gadab, Goa Road, Tal. Pen – 402 107 Dist Raigad, Maharashtra

: 05/10/2013

: 07/10/2013

: Your Letter Ref.; R&D/ Marble/ 50 dated October 04, 2013 Kind Attention: Santosh Kumar

REFERENCE

DATE OF RECEIPT

DATE OF INITIATION

DATE OF COMPLETION : 11/10/2013

SAMPLE DESCRIPTION : Marble Specimen labeled as -

Sr. No.	Sample Code	Description
1.	Control JOHNSON Cristal (C)	Control Marble
2,	Antibacterial Johnson Cristal Zuruich white - A	Antimicrobial Marble
3.	Antibacterial Johnson Cristal Jet Balck - A	Antimicrobial Marble

Name of Test:

Evaluation of Antimicrobial Activity of Marble samples

Name of Test Protocol:

JIS Z 2801: 2010

Test Organisms used for evaluating Antimicrobial activity:

1. Staphylococcus aureus ATCC 6538

2. Escherichia coli ATCC 11229

Test Conditions:

Neutraliser used : Buffered Saline with Tween 80 - 0.01 %

Contact Time : 24 hours at 37° C

Incubation Temperature: 37°C for Bacteria

Media and Reagent : Soyabean-casein digest agar for Bacteria

Page 1 of 2

➤ Samples are not drawn by the laboratory. ➤ Result relate only to the samples tested.

This report shall not be reproduced except in full without prior permission of this laborator.



CERTIFICATE



Sample Identification	Test Organism	Antimicrobial Activity (R) (Log Reduction)	Microbial Kill (Percentage Reduction)
Antibacterial Johnson Cristal	Staph. aureus	2.08	99.16
Zuruich white - A	Escherichia coli	1.82	98.66
Antibacterial Johnson Crista	Staph, aureus	2.43	99.62
Jet Black - A	Escherichia coli	2.16	99.31

INTERPRETATION:

Marble specimen of H & R Johnson (India) is antimicrobial with following antimicrobial activity (R) and percentage reduction-

Antibacterial Johnson Cristal Zuruich white - A; Staphylococcus aureus = 2.08 and 99.16%; Escherichia coli = 1.82 and 98.66%

Antibacterial Johnson Cristal Jet Black - A; Staphylococcus aureus = 2.43 and 99.62%; Escherichia coli = 2.16 and 99.31%

For BIOTECH TESTING SERVICES



Suau Dr Shilpa U. Nair Quality Manager (Authorized Signatory)

4569/1 - 3

104, MALWA, Patarwala Ind. Estate, L.B.S. Marg, Ghatkopar (W), Mumbai - 400 086. (NDIA. * Talefax: 91-22-2500 2812 E-mail : biotechtestingsen/ces@gmail.com / info@biotechtestingsen/ces.com * Website : www.biotechtestingsen/ces.com

► Samples are not drawn by the laboratory. ► Result relate only to the samples tested.

► This report shall not be reproduced except in full without prior permission of this laboratory



CERTIFICATE



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

An ISO - 9001:2008 Certified Institute

TEST CERTIFICATE

000301470

1	ssued to:		
1	H & R JOHNSON (INDIA)	J.O.No.	308-101-3655
(A DIVISION OF PRISM CEMENT LTD),	Reg.No.	1349867
i	JNIT-II, VILLAGE GADAB, KHAR DEVLI,	Date	14-10-2013
1	MUMBAI GOA ROAD, TALUKA- PEN, DISTRICT RAIGAD		GC-01 (REV-04)
	402107,MAHARASTRA	Your Ref.No.	-
1	Kind Attn: MR. SANTOSH KUMAR, MANAGER R&D		
	Sample Particulars :	Date	12.08.2013
	One comple of Germanard GG E 20 pigment nowder for food contact annual	ication Ref No.	HR II160713 was received

(The sampling is not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the party)
REVISED REPORT OF REPORT NO. 296747 DT. 05.09.2013

TEST RESULTS (As per IS: 9833-1981, Reaffirmed 2008)

<u>S. No.</u>	Test	Observed value	Specific Requirement	Conformity	Protocol
1.	Lead (as Pb), mg/kg	Below Detection Limit*	100 (Max.)	Yes	By AAS
2.	Cadmium (as Cd), mg/kg	Not Detected*	1000 (Max.)	Yes	By AAS
3.	Arsenic (as As), mg/kg	0.06	50 (Max.)	Yes	By AAS
4.	Mercury (as Hg), mg/kg	Not Detected*	50 (Max.)	Yes	By AAS
5.	Zinc (as Zn), mg/kg	Below Detection Limit*	2000 (Max.)	Yes	By AAS
6.	Selenium (as Se), mg/kg	Below Detection Limit*	100 (Max.)	Yes	By AAS
7.	Chromium (as Cr), mg/kg	Below Detection Limit*	250 (Max.)	Yes	By AAS
8.	Barium (as Ba), mg/kg	Below Detection Limit*	100 (Max.)	Yes	By AAS
9.	Antimony (as Sb), mg/kg	Not Detected*	250 (Max.)	Yes	By AAS

*Limit of Detection for Lead = 1.0 mg/kg; Cadmium = 0.1 mg/kg; Mercury = 0.01 mg/kg; Selenium = 0.06 mg/kg; Chromium = 7.0 mg/kg; Zinc = 6.0 mg/kg; Barium = 6.0 mg/kg and Antimony = 7.0 mg/kg.

 $\textbf{Remark:} \ \ \text{The given sample conforms to } \ \ \text{IS:9833-1981, Reaffirmed 2008 w.r.t. above parameters only.}$

DOR: 27.08.2013 DOC: 05.09.2013

> AUTHORISED SIGNATORY (EMPLOYEE CODE: 4070)

19, University Road, Delhi - 110007. E-Mail: sridlhi@vsnl.com Website: http://www.shriraminstitute.org Ph: 91-11-27667267, 27667983, 27667860 Fax: 91-11-27667676, 27667207

EXCLUSIVE JOHNSON EXPERIENCE CENTRES

LOCATION	ADDRESS	TEL.
Kolkata	83 JBS Haldane Avenue, TOPSIA Trinity Towers, Kolkata - 700046	033-46021880
Guwahati	1st Floor, Above Royal Riders Honda, Near Rahul Kata, Pub Bragaon, Garchuk, Guwahati - 781035	8135846661
Bhubaneshwar	229/5332, Gautam Nagar, Bhubaneshwar - 751014	0674-2430240
Thane	Shop No.5, Gr.Floor, Cosmos Jewels, Near Dmart, Anand Nagar, Ghodbunder Road, Thane West - 400615	022-25867600
Pune	Sable House, Poona Snuff Factory, Sr. No 11A, Plot 408/4/5, Satara Road, Gultekadi, Pune - 411037	7350009364
Mumbai	1st flr, Bonanza, Sahar Plaza, Nr Hotel Kohinoor continental, J B Nagar, Andheri Kurla Road, Andheri East, Mumbai - 400059	8108030975
Ahmedabad	F 106-107, Shivalik Plaza, IIM Road, Panjrapole Cross Road, Ahmedabad, Gujarat - 380015	079-48480010
Indore	Shop No 5, 6, 7 and 8, Upper Ground Floor, Exotica, Shalimar Township, Village Niranjanpur, A.B. Road, Indore, Madhya Pradesh - 452001	0731-4988340/ 4007441
Raipur	2nd Floor, MM Silver Plaza, Opp Udyog Bhawan, Ring Road - 1, Raipur, Chattisgarh - 492001	7714919129
Lucknow	1st Floor, Prithvi Ratan Height, Plot No CP-4, Vijayant khand - 3, Gomtinagar Yojna, Lucknow - 226028	0522-2721699
Chandigarh	SCO 214, sector14, Panchkula, Haryana - 134109	0172-4691000
Varanasi	Ashakunj, 1st floor, D59/103 D4, Opp Siddharth Complex, Sigra Mehmoorganj Road, Varanasi - 221010	0542-2222620
Delhi	First & Mezzanine Floor, B-1/G-3, Mohan Industrial Estate, Mathura Road, New Delhi - 110094.	9319244955
Coimbatore	Elysium Towers, Park Gate Rd, No. 21, ATT Colony, Gopalapuram, Coimbatore - 641018	0422-4382698
Chennai	82, 84 & 86 Bascon Maeru, 1st floor, Kodambakkam High Road, Nungambakkam, Chennai - 600034	044-48611632
Kochi	Door no. 11/300 f, Next to VTJ Hyundai, NH 47 Kundanoor, Maradu, Kochi, Ernakulam - 682304	0484-4871277
Kozhikode	Tilal Tower, Near Nexa Showroom, Kudilthod, Malaparamba bypass, Kozikode, Kerala - 673017	0495-2352474/ 2352752
Thiruvananthapuram	1st Floor, Sreedhanya Apex, TC 22/3720 (4) Vellayambalam, Sasthamangalam PO, Thiruvananthapuram, Kerala - 695010	9847861177

24



1. What is the composition of Johnson TopShield?

Johnson TopShield is a germ resistant quartz surface specifically meant for use as kitchen countertops. This is manufactured through a process that combines natural quartz with a small volume of polyester resin, color pigments, treated with Johnson's Germguard technology and baked to create stabs with a desired thickness.

2 How is Johnson TopShield countertop different from ones made with natural stones such as granite?

As compared to granite, Johnson Topshield is an ultra hygienic product and offers a large selection of consistent colours with extremely low porosity. It is very hard and is also highly stain & scratch resistant. Unlike granite, TopShield does not require re-sealing. Due to these properties, TopShield also lends itself to applications in various places. From laboratories, medical and hospitality sectors to the most luxurious kitchen and bath designs where sterile environment is desirable.

3. Is it safe to prepare food on Topshield?

Johnson TopShield has been treated with Johnson's Germguard technology making it highly resistant to microbial growth. The surface has been certified food-grade and is perfectly safe to prepare food. Besides, quartz is non-porous by its nature and is an ideal material for hygienic kitchen countertops.

4. Is TopShield heat, scratch and stain resistant?

TopShield is highly resistant to heat, scratches and stains. However, exposure to excessive heat can possibly damage the surface. We recommend the use of hot pads to protect the surface from heated cookware.

5. Is it okay to chop vegetables directly on the TopShield surface?

Due to Its inherent nature, quartz countertops are extremely robust and highly scratch resistant. However, no countertop material is entirely scratch proof. We recommend that a cutting board be used when chopping vegetables and avoid using sharp objects directly on the surface.

6. Where can I buy TopShield?

You can purchase Topshield through our network of dealers and authorised retailers spread across India. Alternately please visit our website www.johnsonmarblequartz.in for getting in touch with us.

7. Can I use TopShield for external applications?

Due to inherent properties of engineered stones, they are not suitable for use in external areas which are directly exposed to sunlight. Our products are recommended for internal use only.

8. Are there any precautions for storing & installing TopShield?

If stored outside, TopShield must be kept covered and be stored with the polished face unexposed. Full back support needs to be provided since prolonged storage may cause warping due to pressure. Company recommends polymer based adhesives only for fixing countertops. For details please visit our website.



JOHNSON MARBLE & QUARTZ

7th Floor, Windsor, C.S.T. Road, Kalina, Santacruz (East) Mumbai - 400098 India. Telephone: +91 -22-40647300 / 26547300

Toll Free No: 1800 22 7484

Email Id: jmq.customercare@prismjohnson.in

Website: www.johnsonmarblequartz.in



Scan the QR code to visit our website